# **Protac**<sup>™</sup>

# **Emerytex**®

Protac<sup>™</sup> Emerytex<sup>®</sup> is a 4 mil (100µ) embossed monomeric calendared PVC laminating film with a matte pebble textured finish, coated on one side with a pressure sensitive, solvent acrylic adhesive that is protected by a bleached Kraft release paper coated on both sides with PE and siliconised on the release side.

- RECOMMENDED FOR LAMINATING MOUNTED PRINTS THAT WILL BE PLACED IN HIGH-TRAFFIC INDOOR AND OUTDOOR DISPLAY AREAS
- PROVIDES UV PROTECTION FOR INDOOR AND OUTDOOR USE
- IDEAL FOR TRADESHOW GRAPHICS, POP DISPLAYS, MOUSE PADS, COUNTER MATS, EVENT SIGNAGE, FLOOR GRAPHICS, AND OTHER SIGNAGE WHERE A SCUFF -RESISTANT FINISH IS REQUIRED
- PROTAC™ EMERYTEX® HAS A CLASS 0 FIRE RATING ACCORDING TO UK STANDARDS FOR SURFACE SPREAD OF FLAME, MAKING IT PERFECT FOR APPLICATIONS IN PUBLIC AREAS THAT REQUIRE COMPLIANCE WITH STRICT FIRE REGULATIONS, SUCH AS AIRPORTS, HOTELS AND HOSPITALS.

For more information, performance and warranty guide lines please contact your local Drytac office.

© 2020 Drytac Corporation. E&OE. All other trademarks are the property of their respective owners.

# **TECHNICAL SPECIFICATION**

#### PRODUCT STRUCTURE

Film

Matte Pebble Textured Monomeric Calendared PVC

Adhesive

Solvent Acrylic (Pressure Sensitive)

2 Side PE Coated.

**Release Liner** 2 Side PE Coated, 1 Side Siliconized Kraft

## PRODUCT CHARACTERISTIC

Film Thickness 4 mil (100µ) **Adhesive Layer** 1 mil (25µ) **UV Protection** Yes 5 Years - Vertical Install **Outdoor Durability** Slip Rating PTV/BPN: Low Slip Potential; Dry: 64; Wet: 36 (EN 13036-4/ASTM E303) R11 (DIN 51130) Class 0 **Fire Rating** -4°F to 203°F (-20°C to 95°C) **Service Temperature Range** >41°F (5°C) **Application Temperature** Shelf Life 2 Years **Storage Conditions** 59°F to 72°F (15°C to 22°C);

### **PROCESS SETTINGS**

Equipment Type & Temperature

Roller Laminator Room temperature to 104°F (40°C) 1 ft to 8 ft (0.3m to 2.5m) per minute

Speed

**Press** Not recommended



#### Europe

Filwood Road, Fishponds, Bristol, BS16 3RY, United Kingdom bristol@drytac.com Tel: +44 (0) 117 958 6500

#### Canada

30 Driver Road, Brampton, Ontario, L6T 5V2, Canada toronto@drytac.com

Tel: +1 800.353.2883

# USA

50 - 55% Relative Humidity

5401-B Eubank Road, Sandston, Virginia, 23150, USA

customerservice@drytac.com Tel: +1 800.280.6013